


DCKN-KC 75°









order number	catalogue number	H	B	F	L1	LH	L1A	B3	gage insert	shim	shim screw	Torx Plus	clamp assembly	Torx Plus	slotted pin	optional lock pin
right hand																
2273083	**DCKNR2020K12KC04**	20	20	25,0	125	32,0	3,1	6,0	CN..120408	**ICSN433**	**KMSP415IP**	15 IP	**CM234R ASSY**	15 IP	**SSP025016M**	**KLM4615IP**
1875200	**DCKNR2525M12KC04**	25	25	32,0	150	32,0	3,1	–	CN..120408	**ICSN443**	**KMSP415IP**	15 IP	**CM234R ASSY**	15 IP	**SSP025016M**	**KLM4615IP**
2273084	**DCKNR3225P12KC04**	32	25	32,0	170	32,0	3,1	–	CN..120408	**ICSN443**	**KMSP415IP**	15 IP	**CM234R ASSY**	15 IP	**SSP025016M**	**KLM46L15IP**
2273085	**DCKNR3232P16KC06**	32	32	40,0	170	32,0	3,8	–	CN..160612	**ICSN543**	**KMSP515IP**	15 IP	**CM209R ASSY**	15 IP	**SSP025016M**	**KLM58L15IP**
left hand																
2273087	**DCKNL2020K12KC04**	20	20	25,0	125	32,0	3,1	6,0	CN..120408	**ICSN433**	**KMSP415IP**	15 IP	**CM234R ASSY**	15 IP	**SSP025016M**	**KLM4615IP**
1875204	**DCKNL2525M12KC04**	25	25	32,0	150	32,0	3,1	–	CN..120408	**ICSN443**	**KMSP415IP**	15 IP	**CM234R ASSY**	15 IP	**SSP025016M**	**KLM4615IP**
2273088	**DCKNL3225P12KC04**	32	25	32,0	170	32,0	3,1	–	CN..120408	**ICSN443**	**KMSP415IP**	15 IP	**CM234R ASSY**	15 IP	**SSP025016M**	**KLM46L15IP**










PCBN 75°



order number	catalogue number	H	B	F	L1	LH	FA	gage insert	shim	shim pin	punch pin	lever	lever screw	Torx Plus
right hand														
1244779	**PCBNR2525M12**	25	25	22,0	150	26,0	3,1	CN..120408	**512.112**	**513.023**	**515.018**	**511.023**	**514.123**	15 IP
1244635	**PCBNR2525M16**	25	25	22,0	150	28,0	4,2	CN..160612	**512.117**	**513.025**	**515.022**	**511.025**	**514.125**	15 IP
1244636	**PCBNR3225P12**	32	25	22,0	170	28,0	3,1	CN..120408	**512.112**	**513.023**	**515.018**	**511.023**	**514.123**	15 IP
1244637	**PCBNR3225P16**	32	25	22,0	170	28,0	4,2	CN..160612	**512.117**	**513.025**	**515.022**	**511.025**	**514.125**	15 IP
1244638	**PCBNR3232P16**	32	32	27,0	170	38,0	4,2	CN..160612	**512.117**	**513.025**	**515.022**	**511.025**	**514.125**	15 IP
1244795	**PCBNR3232P19**	32	32	27,0	170	38,0	4,6	CN..190612	**512.123**	**513.033**	**515.022**	**511.033**	**514.133**	25 IP
1192373	**PCBNR4040S19**	40	40	35,0	250	38,0	4,6	CN..190612	**512.123**	**513.033**	**515.022**	**511.033**	**514.133**	25 IP
left hand														
1244630	**PCBNL2020K12**	20	20	17,0	125	26,0	3,1	CN..120408	**512.112**	**513.023**	**515.018**	**511.023**	**514.123**	15 IP
1244859	**PCBNL2525M12**	25	25	22,0	150	26,0	3,1	CN..120408	**512.112**	**513.023**	**515.018**	**511.023**	**514.123**	15 IP
1244631	**PCBNL2525M16**	25	25	22,0	150	28,0	4,2	CN..160612	**512.117**	**513.025**	**515.022**	**511.025**	**514.125**	15 IP
1244794	**PCBNL3232P16**	32	32	27,0	170	38,0	4,2	CN..160612	**512.117**	**513.025**	**515.022**	**511.025**	**514.125**	15 IP
1244633	**PCBNL3232P19**	32	32	27,0	170	38,0	4,6	CN..190612	**512.123**	**513.033**	**515.022**	**511.033**	**514.133**	25 IP
1192372	**PCBNL4040S19**	40	40	35,0	250	38,0	4,6	CN..190612	**512.123**	**513.033**	**515.022**	**511.033**	**514.133**	25 IP









PCKN 75°



order number	catalogue number	H	B	F	L1	LH	L1A	gage insert	shim	shim pin	punch pin	lever	lever screw	Torx Plus
right hand														
1244649	**PCKNR2020K12**	20	20	25,0	125	23,0	3,1	CN..120408	**512.112**	**513.023**	**515.018**	**511.023**	**514.123**	15 IP
1244797	**PCKNR2525M12**	25	25	32,0	150	23,0	3,1	CN..120408	**512.112**	**513.023**	**515.018**	**511.023**	**514.123**	15 IP
1244775	**PCKNR2525M16**	25	25	32,0	150	30,0	3,8	CN..160612	**512.117**	**513.025**	**515.022**	**511.025**	**514.125**	15 IP
1244650	**PCKNR3225P12**	32	25	32,0	170	26,0	3,1	CN..120408	**512.112**	**513.023**	**515.018**	**511.023**	**514.123**	15 IP
1244776	**PCKNR3225P16**	32	25	32,0	170	30,0	3,8	CN..160612	**512.117**	**513.025**	**515.022**	**511.025**	**514.125**	15 IP
1244798	**PCKNR3232P19**	32	32	40,0	170	37,5	4,6	CN..190612	**512.123**	**513.033**	**515.022**	**511.033**	**514.133**	25 IP
left hand														
1244646	**PCKNL2020K12**	20	20	25,0	125	23,0	3,1	CN..120408	**512.112**	**513.023**	**515.018**	**511.023**	**514.123**	15 IP
1244780	**PCKNL2525M12**	25	25	32,0	150	23,0	3,1	CN..120408	**512.112**	**513.023**	**515.018**	**511.023**	**514.123**	15 IP
1244647	**PCKNL3225P12**	32	25	32,0	170	26,0	3,1	CN..120408	**512.112**	**513.023**	**515.018**	**511.023**	**514.123**	15 IP
1244777	**PCKNL3225P16**	32	25	32,0	170	30,0	3,8	CN..160612	**512.117**	**513.025**	**515.022**	**511.025**	**514.125**	15 IP
1244648	**PCKNL3232P19**	32	32	40,0	170	37,5	4,6	CN..190612	**512.123**	**513.033**	**515.022**	**511.033**	**514.133**	25 IP



Steel shank with through coolant.






A-PCLN 95°




order number	catalogue number	D	D min	F	L1	L2	CS	γF°	gage insert	shim	shim pin	pin	toggle lever	lever screw	Torx Plus
right hand															
2447150	**A25TPCLNR12**	25	32,0	17,0	300	40	1/4-18 NPT	-12.0	CN..120408	–	–	–	**511.022**	**514.122**	10 IP
2447152	**A32UPCLNR12**	32	40,0	22,0	350	50	1/4-18 NPT	-10.0	CN..120408	**512.112**	**513.023**	**515.018**	**511.023**	**514.123**	15 IP
2447476	**A32UPCLNR16**	32	50,0	22,0	350	50	1/4-18 NPT	-10.0	CN..160612	**512.117**	**513.025**	**515.022**	**511.025**	**514.125**	15 IP
2447533	**A40VPCLNR12**	40	50,0	27,0	400	55	1/4-18 NPT	-10.0	CN..120408	**512.112**	**513.023**	**515.018**	**511.023**	**514.123**	15 IP
2447478	**A40VPCLNR16**	40	50,0	27,0	400	55	1/4-18 NPT	-11.0	CN..160612	**512.117**	**513.025**	**515.022**	**511.025**	**514.125**	15 IP
left hand															
2447151	**A25TPCLNL12**	25	32,0	17,0	300	40	1/4-18 NPT	-12.0	CN..120408	–	–	–	**511.022**	**514.122**	10 IP
2447473	**A32UPCLNL12**	32	40,0	22,0	350	50	1/4-18 NPT	-10.0	CN..120408	**512.112**	**513.023**	**515.018**	**511.023**	**514.123**	15 IP
2447534	**A40VPCLNL12**	40	50,0	27,0	400	55	1/4-18 NPT	-10.0	CN..120408	**512.112**	**513.023**	**515.018**	**511.023**	**514.123**	15 IP
2447479	**A40VPCLNL16**	40	50,0	27,0	400	55	1/4-18 NPT	-11.0	CN..160612	**512.117**	**513.025**	**515.022**	**511.025**	**514.125**	15 IP

Kenloc™ Boring Heads




With through coolant.





H-MCLN 95°



order number	catalogue number	D	D min	F	L1	gage insert	shim	lock pin	hex	clamp	clamp screw	hex
right hand												
3612156	**H32MCLNR12**	32	40,0	22,0	41	CN..120408	**ICSN432**	**KLM46**	2.5 mm	**CKM21**	**STCM20**	3 mm
3612178	**H50MCLNR12**	50	63,0	35,0	41	CN..120408	**ICSN432**	**KLM46**	2.5 mm	**CKM20**	**STCM20**	3 mm
1099102	**H50MCLNR19**	50	63,0	35,0	41	CN..190612	**ICSN633**	**KLM68**	4 mm	**CKM12**	**STCM4**	4 mm










MDJN 93°



order number	catalogue number	H	B	F	L1	LH	gage insert	shim	lock pin	hex	clamp	clamp screw	hex
right hand													
1100936	**MDJNR1616H11**	16	16	20,0	100	32,0	DN..110408	**IDSN322**	**KLM34L**	2 mm	**CKM7**	**STCM5**	2.5 mm
1101286	**MDJNR2020K11**	20	20	25,0	125	32,0	DN..110408	**IDSN322**	**KLM34L**	2 mm	**CKM7**	**STCM5**	2.5 mm
1101356	**MDJNR2020K15**	20	20	25,0	125	36,0	DN..150608	**IDSN432**	**KLM46L**	2.5 mm	**CKM22**	**STCM20**	3 mm
1101288	**MDJNR2525M11**	25	25	32,0	150	32,0	DN..110408	**IDSN322**	**KLM34L**	2 mm	**CKM7**	**STCM5**	2.5 mm
1101357	**MDJNR2525M15**	25	25	32,0	150	36,0	DN..150608	**IDSN432**	**KLM46L**	2.5 mm	**CKM22**	**STCM20**	3 mm
1101358	**MDJNR3225P15**	32	25	32,0	170	36,0	DN..150608	**IDSN432**	**KLM46L**	2.5 mm	**CKM22**	**STCM20**	3 mm
3638550	**MDJNR3232P15**	32	32	40,5	173	32,0	DN..150608	**IDSN432**	**KLM46L**	2.5 mm	**CKM22**	**STCM20**	3 mm
left hand													
1101285	**MDJNL2020K11**	20	20	25,0	125	32,0	DN..110408	**IDSN322**	**KLM34L**	2 mm	**CKM7**	**STCM5**	2.5 mm
1101287	**MDJNL2525M11**	25	25	32,0	150	32,0	DN..110408	**IDSN322**	**KLM34L**	2 mm	**CKM7**	**STCM5**	2.5 mm
1102316	**MDJNL2525M15**	25	25	32,0	150	36,0	DN..150608	**IDSN432**	**KLM46L**	2.5 mm	**CKM22**	**STCM20**	3 mm
1102317	**MDJNL3225P15**	32	25	32,0	170	32,0	DN..150608	**IDSN432**	**KLM46L**	2.5 mm	**CKM22**	**STCM20**	3 mm
3638551	**MDJNL3232P15**	32	32	40,5	173	32,0	DN..150608	**IDSN432**	**KLM46L**	2.5 mm	**CKM22**	**STCM20**	3 mm









MDNN 62,5°



order number	catalogue number	H	B	F	L1	LH	gage insert	shim	lock pin	hex	clamp	clamp screw	hex
right hand													
1101636	**MDNNR2525M15**	68	25	12,5	150	41,0	DN..150608	**IDSN432**	**KLM46L**	2.5 mm	**CKM22**	**STCM20**	3 mm
1101637	**MDNNR3225P15**	88	32	12,5	170	41,0	DN..150608	**IDSN432**	**KLM46L**	2.5 mm	**CKM22**	**STCM20**	3 mm
left hand													
1102434	**MDNNL2525M15**	68	25	12,5	150	41,0	DN..150608	**IDSN432**	**KLM46L**	2.5 mm	**CKM22**	**STCM20**	3 mm
1102435	**MDNNL3225P15**	88	32	12,5	170	41,0	DN..150608	**IDSN432**	**KLM46L**	2.5 mm	**CKM22**	**STCM20**	3 mm



Steel shank with through coolant.







A-DDUN-KC 93°



order number	catalogue number	D	D min	F	L1	CS	γF°	γP°	gage insert	shim	shim screw	Torx Plus	clamp assembly	slotted pin	Torx Plus
right hand															
2441939	**A25RDDUNR11KC04**	25	32,0	17,0	200	1/4-18 NPT	-12.0	-5.0	DN..110408	–	–	–	**CM234R ASSY**	**SSP025016M**	15 IP
2441941	**A32SDDUNR11KC04**	32	40,0	22,0	250	1/4-18 NPT	-12.0	-5.0	DN..110408	**IDSN322**	**KMSP315IP**	15 IP	**CM234R ASSY**	**SSP025016M**	15 IP
2441945	**A32SDDUNR15KC06**	32	40,0	22,0	250	1/4-18 NPT	-12.0	-6.0	DN..150608	**IDSN433**	**KMSP415IP**	15 IP	**CM234R ASSY**	**SSP025016M**	15 IP
2441947	**A40TDDUNR15KC06**	40	50,0	27,0	300	1/4-18 NPT	-9.0	-5.0	DN..150608	**IDSN433**	**KMSP415IP**	15 IP	**CM234R ASSY**	**SSP025016M**	15 IP
2441949	**A50UDDUNR15KC06**	50	63,0	35,0	350	1/4-18 NPT	-7.0	-5.0	DN..150608	**IDSN433**	**KMSP415IP**	15 IP	**CM234R ASSY**	**SSP025016M**	15 IP
left hand															
2441940	**A25RDDUNL11KC04**	25	32,0	17,0	200	1/4-18 NPT	-12.0	-5.0	DN..110408	–	–	–	**CM234R ASSY**	**SSP025016M**	15 IP
2441942	**A32SDDUNL11KC04**	32	40,0	22,0	250	1/4-18 NPT	-12.0	-5.0	DN..110408	**IDSN322**	**KMSP315IP**	15 IP	**CM234R ASSY**	**SSP025016M**	15 IP
2441946	**A32SDDUNL15KC06**	32	40,0	22,0	250	1/4-18 NPT	-12.0	-6.0	DN..150608	**IDSN433**	**KMSP415IP**	15 IP	**CM234R ASSY**	**SSP025016M**	15 IP
2441948	**A40TDDUNL15KC06**	40	50,0	27,0	300	1/4-18 NPT	-9.0	-5.0	DN..150608	**IDSN433**	**KMSP415IP**	15 IP	**CM234R ASSY**	**SSP025016M**	15 IP
2441950	**A50UDDUNL15KC06**	50	63,0	35,0	350	1/4-18 NPT	-7.0	-5.0	DN..150608	**IDSN433**	**KMSP415IP**	15 IP	**CM234R ASSY**	**SSP025016M**	15 IP



Steel shank with through coolant.







A-MDUN 93°




order number	catalogue number	D	D min	F	L1	L2	CS	γF°	γP°	gage insert	shim	lock pin	hex	clamp	clamp screw	hex
right hand																
1098769	**A25RMDUNR11**	25	32,0	17,0	200	40,0	1/4-18 NPT	-14.0	-5.0	DN..110408	–	**KLM33L**	2 mm	**CKM7**	**STCM5**	2.5 mm
1098102	**A25RMDUNR15**	25	32,0	17,0	200	–	1/4-18 NPT	-14.0	-5.0	DN..150408	**IDSN432**	**KLM46L**	2.5 mm	**CKM22**	**STCM11**	3 mm
1098770	**A32SMDUNR11**	32	40,0	22,0	250	50,0	1/4-18 NPT	-12.0	-5.0	DN..110408	**IDSN322**	**KLM34L**	2 mm	**CKM7**	**STCM5**	2.5 mm
1098104	**A32SMDUNR15**	32	40,0	22,0	250	–	1/4-18 NPT	-12.0	-6.0	DN..150608	**IDSN432**	**KLM46L**	2.5 mm	**CKM22**	**STCM20**	3 mm
1098106	**A40TMDUNR15**	40	50,0	27,0	300	–	1/4-18 NPT	-9.0	-5.0	DN..150608	**IDSN432**	**KLM46L**	2.5 mm	**CKM22**	**STCM20**	3 mm
1098108	**A50UMDUNR15**	50	63,0	35,0	350	–	1/4-18 NPT	-7.0	-5.0	DN..150608	**IDSN432**	**KLM46L**	2.5 mm	**CKM22**	**STCM20**	3 mm
left hand																
1098779	**A25RMDUNL11**	25	32,0	17,0	200	40,0	1/4-18 NPT	-14.0	-5.0	DN..110408	–	**KLM33L**	2 mm	**CKM7**	**STCM5**	2.5 mm
1098103	**A25RMDUNL15**	25	32,0	17,0	200	–	1/4-18 NPT	-14.0	-5.0	DN..150408	**IDSN432**	**KLM46L**	2.5 mm	**CKM22**	**STCM11**	3 mm
1098780	**A32SMDUNL11**	32	40,0	22,0	250	50,0	1/4-18 NPT	-12.0	-5.0	DN..110408	**IDSN322**	**KLM34L**	2 mm	**CKM7**	**STCM5**	2.5 mm
1098105	**A32SMDUNL15**	32	40,0	22,0	250	–	1/4-18 NPT	-12.0	-6.0	DN..150608	**IDSN432**	**KLM46L**	2.5 mm	**CKM22**	**STCM20**	3 mm
1098107	**A40TMDUNL15**	40	50,0	27,0	300	–	1/4-18 NPT	-9.0	-5.0	DN..150608	**IDSN432**	**KLM46L**	2.5 mm	**CKM22**	**STCM20**	3 mm
1098109	**A50UMDUNL15**	50	63,0	35,0	350	–	1/4-18 NPT	-7.0	-5.0	DN..150608	**IDSN432**	**KLM46L**	2.5 mm	**CKM22**	**STCM20**	3 mm









MWLN 95°






order number	catalogue number	H	B	F	L1	LH	gage insert	shim	lock pin	hex	clamp	clamp screw	hex
right hand													
1101293	**MWLNR2020K06**	20	20	25,0	125	25,0	WN..060408	**IWSN322**	**KLM34L**	2 mm	**CKM6**	**STCM5**	2.5 mm
1101355	**MWLNR2525M06**	25	25	32,0	150	25,0	WN..060408	**IWSN322**	**KLM34L**	2 mm	**CKM6**	**STCM5**	2.5 mm
3612259	**MWLNR3232P08**	32	32	40,0	170	32,0	WNMA080408	**IWSN433**	**KLM46**	2.5 mm	**CKM7**	**STCM5**	2.5 mm
left hand													
1101292	**MWLNL2020K06**	20	20	25,0	125	25,0	WN..060408	**IWSN322**	**KLM34L**	2 mm	**CKM6**	**STCM5**	2.5 mm
1101354	**MWLNL2525M06**	25	25	32,0	150	25,0	WN..060408	**IWSN322**	**KLM34L**	2 mm	**CKM6**	**STCM5**	2.5 mm
3612260	**MWLNL3232P08**	32	32	40,0	170	32,0	WNMA080408	**IWSN433**	**KLM46**	2.5 mm	**CKM7**	**STCM5**	2.5 mm


Wedgelock™ Toolholders • Wedgelock Inserts








MWLN 95°






order number	catalogue number	H	B	F	L1	LH	gage insert	shim	lock pin	set screw	Torx	clamp assembly	hex
right hand													
1244924	**MWLNR2020K08H4**	20	20	25,0	125	32,0	WN..080408	**512.131**	**513.132**	**192.636**	T15	**551.131**	3 mm
1192355	**MWLNR2525M08H4**	25	25	32,0	150	36,0	WN..080408	**512.131**	**513.132**	**192.636**	T15	**551.131**	3 mm
1244925	**MWLNR3225P08H4**	32	25	32,0	170	36,0	WN..080408	**512.131**	**513.132**	**192.636**	T15	**551.131**	3 mm
left hand													
1244921	**MWLNL2020K08H4**	20	20	25,0	125	32,0	WN..080408	**512.131**	**513.132**	**192.636**	T15	**551.131**	3 mm
1244922	**MWLNL2525M08H4**	25	25	32,0	150	36,0	WN..080408	**512.131**	**513.132**	**192.636**	T15	**551.131**	3 mm
1244923	**MWLNL3225P08H4**	32	25	32,0	170	36,0	WN..080408	**512.131**	**513.132**	**192.636**	T15	**551.131**	3 mm





Steel shank with through coolant.







A-MWLN 95°






order number	catalogue number	D	D min	F	L1	LH	CS	γF°	gage insert	shim	lock pin	hex	clamp	clamp screw	hex
right hand															
1098771	**A25RMWLNR06**	25	32,0	17,0	200	—	1/4-18 NPT	-12.0	WN..060408	**—**	**KLM33L**	2 mm	**CKM6**	**STCM5**	2.5 mm
1098773	**A25RMWLNR08**	25	32,0	17,0	200	39,0	1/4-18 NPT	-12.0	WN..080408	**—**	**KLM43**	2 mm	**CKM20**	**STCM11**	3 mm
1098772	**A32SMWLNR06**	32	40,0	22,0	250	—	1/4-18 NPT	-10.0	WN..060408	**IWSN322**	**KLM34L**	2 mm	**CKM6**	**STCM5**	2.5 mm
1098774	**A32SMWLNR08**	32	40,0	22,0	250	39,7	1/4-18 NPT	-14.0	WN..080408	**IWSN433**	**KLM46**	2.5 mm	**CKM20**	**STCM20**	3 mm
1098775	**A40TMWLNR08**	40	50,0	27,0	300	41,6	1/4-18 NPT	-12.0	WN..080408	**IWSN433**	**KLM46**	2.5 mm	**CKM20**	**STCM20**	3 mm
left hand															
1098783	**A25RMWLNL08**	25	32,0	17,0	200	39,0	1/4-18 NPT	-12.0	WN..080408	**—**	**KLM43**	2 mm	**CKM20**	**STCM11**	3 mm
1098782	**A32SMWLNL06**	32	40,0	22,0	250	—	1/4-18 NPT	-10.0	WN..060408	**IWSN322**	**KLM34L**	2 mm	**CKM6**	**STCM5**	2.5 mm
1098784	**A32SMWLNL08**	32	40,0	22,0	251	39,7	1/4-18 NPT	-14.0	WN..080408	**IWSN433**	**KLM46**	2.5 mm	**CKM20**	**STCM20**	3 mm
1098785	**A40TMWLNL08**	40	50,0	27,0	300	41,6	1/4-18 NPT	-12.0	WN..080408	**IWSN433**	**KLM46**	2.5 mm	**CKM20**	**STCM20**	3 mm









SCKC 75°





order number	catalogue number	H	B	F	L1	LH	L1A	gage insert	shim	shim screw	hex	insert screw	Torx
right hand													
1097840	SCKCR2020K09	20	20	25,0	125	16,0	2,3	CC..09T308	SKCP343	SRS3	3.5 mm	MS1156	T15








SCLC 95°





order number	catalogue number	H	B	F	L1	LH	gage insert	shim	shim screw	hex	insert screw	Torx
right hand												
1097814	SCLCR0808L06	8	8	10,0	140	12,0	CC..060204	–	–	–	MS1153	T7
1097816	SCLCR1010M06	10	10	12,0	150	12,0	CC..060204	–	–	–	MS1153	T7
1097818	SCLCR1212N09	12	12	16,0	160	16,0	CC..09T308	–	–	–	MS1155	T15
1097819	SCLCR1616H09	16	16	20,0	100	15,8	CC..09T308	SKCP343	SRS3	3.5 mm	MS1156	T15
1097821	SCLCR2020K09	20	20	25,0	125	15,8	CC..09T308	SKCP343	SRS3	3.5 mm	MS1156	T15
1097820	SCLCR2020K12	20	20	25,0	125	19,8	CC..120408	SKCP453	SRS4	4 mm	MS1158	T15
1244995	SCLCR2525M09	25	25	32,0	150	15,8	CC..09T308	SKCP343	SRS3	3.5 mm	MS1156	T15
1097822	SCLCR2525M12	25	25	32,0	150	20,0	CC..120408	SKCP453	SRS4	4 mm	MS1158	T15
left hand												
1097959	SCLCL0808L06	8	8	10,0	140	12,0	CC..060204	–	–	–	MS1153	T7
1097961	SCLCL1010M06	10	10	12,0	150	12,0	CC..060204	–	–	–	MS1153	T7
1097963	SCLCL1212N09	12	12	16,0	160	16,0	CC..09T308	–	–	–	MS1155	T15
1097964	SCLCL1616H09	16	16	20,0	100	15,8	CC..09T308	SKCP343	SRS3	3.5 mm	MS1156	T15
1097966	SCLCL2020K09	20	20	25,0	125	15,8	CC..09T308	SKCP343	SRS3	3.5 mm	MS1156	T15
1097965	SCLCL2020K12	20	20	25,0	125	19,8	CC..120408	SKCP453	SRS4	4 mm	MS1158	T15
1318353	SCLCL2525M09	25	25	32,0	150	15,8	CC..09T308	SKCP343	SRS3	3.5 mm	MS1156	T15
1097967	SCLCL2525M12	25	25	32,0	150	20,0	CC..120408	SKCP453	SRS4	4 mm	MS1158	T15

(Integral Straight • Metric — continued)



order number	catalogue number	seat size	CD	H1	H	B	H2	L1	FS	LH	CF	CS	Torx clamp screw	Torx clamp screw	Torx
5954218	**EVSML3232P0626C**	6	26	32	32	32	42	170	29	47	1/8 - 27 NPTF	1/8 - 27 NPTF	**MS1970**	**–**	T30
5954217	**EVSML3232P0632C**	6	32	32	32	32	43	170	29	55	1/8 - 27 NPTF	1/8 - 27 NPTF	**MS1490**	**–**	T45
5954213	**EVSML4040R0640C**	6	40	40	40	40	51	200	37	63	1/8 - 27 NPTF	1/8 - 27 NPTF	**MS1490**	**–**	T45
5954231	**EVSML2525M0826C**	8	26	25	25	25	35	150	21	49	1/8 - 27 NPTF	1/8 - 27 NPTF	**MS1490**	**–**	T45
5954216	**EVSML3232P0826C**	8	26	32	32	32	43	170	28	49	1/8 - 27 NPTF	1/8 - 27 NPTF	**MS1490**	**–**	T45
5954215	**EVSML3232P0832C**	8	32	32	32	32	43	170	28	55	1/8 - 27 NPTF	1/8 - 27 NPTF	**MS1490**	**–**	T45
5954212	**EVSML4040R0840C**	8	40	40	40	40	51	200	36	63	1/8 - 27 NPTF	1/8 - 27 NPTF	**MS1490**	**–**	T45
5954214	**EVSML3232P1032C**	10	32	32	32	32	43	170	28	55	1/8 - 27 NPTF	1/8 - 27 NPTF	**MS1490**	**–**	T45
5954211	**EVSML4040R1040C**	10	40	40	40	40	51	200	36	63	1/8 - 27 NPTF	1/8 - 27 NPTF	**MS1490**	**–**	T45

screw	screw	torque				wrench	wrench
catalogue number	order number	Nm	in. lbs.	thread	socket	catalogue number	order number
MS1160	**1099645**	7	62	M5	T20	**KT20**	**1022703**
MS1162	**1127019**	9	80	M6	T25	**KT25**	**1022725**
MS1163	**1124104**	18	159	M8	T30	**KT30L**	**1099676**
MS1273	**1020977**	4	35.4	M4	T15	**KT15**	**1022701**
MS1490	**2263299**	17	151	M8	T45	**KT45**	**1018227**
MS1595	**1094300**	12	106	M6	T30	**KT30**	**1099676**
MS1970	**1106668**	12	106	M6	T30	**KT30**	**1099676**
MS2002	**1621087**	9	80	M6	T25	**KT25**	**1022725**
MS2091	**1931147**	9	80	M5	25IP	**K25IP**	**2050113**

(Integral Reinforced Front Clamp • Metric — continued)



order number	catalogue number	seat size	CD	D max	H1	H	B	H2	L1	FS	LH	CF	CS	Torx clamp screw	Torx
left hand															
6179709	**EVSCFL1010K1B10**	1B	10	20	10	10	10	14	125	9	21	—	—	**191.916**	T15
6179922	**EVSCFL1212K1B10**	1B	10	20	12	12	12	16	125	11	21	—	—	**191.916**	T15
6179923	**EVSCFL1212K1B13**	1B	13	26	12	12	12	16	125	11	24	—	—	**191.916**	T15
6179930	**EVSCFL1616K1B16**	1B	16	32	16	16	16	21	125	15	27	—	—	**MS1160**	T20
6179934	**EVSCFL2020K1B16**	1B	16	32	20	20	20	25	125	19	27	—	—	**MS1160**	T20
6179710	**EVSCFL1010K1F10**	1F	10	20	10	10	10	14	125	9	21	—	—	**191.916**	T15
6179924	**EVSCFL1212K1F10**	1F	10	20	12	12	12	16	125	11	21	—	—	**191.916**	T15
6179925	**EVSCFL1212K1F13**	1F	13	26	12	12	12	16	125	11	24	—	—	**191.916**	T15
6179931	**EVSCFL1616K1F16**	1F	16	32	16	16	16	21	125	15	27	—	—	**MS1160**	T20
6179935	**EVSCFL2020K1F16**	1F	16	32	20	20	20	25	125	19	27	—	—	**MS1160**	T20
6179921	**EVSCFL1010K0210**	2	10	20	10	10	10	14	125	9	21	—	—	**191.916**	T15
6179926	**EVSCFL1212K0210**	2	10	20	12	12	12	16	125	11	21	—	—	**191.916**	T15
6179927	**EVSCFL1212K0216**	2	16	32	12	12	12	16	125	11	27	—	—	**191.916**	T15
6179932	**EVSCFL1616K0216**	2	16	32	16	16	16	21	125	15	27	—	—	**MS1160**	T20
6179936	**EVSCFL2020K0216**	2	16	32	20	20	20	25	125	19	27	—	—	**MS1160**	T20
6179928	**EVSCFL1212K0310C**	3	10	20	12	12	12	17	125	11	22	M8X1.25	M8X1.25	**191.916**	T15
6179929	**EVSCFL1212K0316C**	3	16	32	12	12	12	17	125	11	28	M8X1.25	M8X1.25	**191.916**	T15
6179933	**EVSCFL1616K0316C**	3	16	32	16	16	16	21	125	15	28	M8X1.25	M8X1.25	**MS1160**	T20
6179937	**EVSCFL2020K0316C**	3	16	32	20	20	20	25	125	19	28	M8X1.25	M8X1.25	**MS1160**	T20

NOTE: Through the pocket coolant available in seat sizes 3 and higher.

screw	screw	torque				wrench	wrench
catalogue number	order number	Nm	in. lbs.	thread	socket	catalogue number	order number
MS1160	**1099645**	7	62	M5	T20	**KT20**	**1022703**
MS1162	**1127019**	9	80	M6	T25	**KT25**	**1022725**
MS1163	**1124104**	18	159	M8	T30	**KT30L**	**1099676**
MS1273	**1020977**	4	35.4	M4	T15	**KT15**	**1022701**
MS1490	**2263299**	17	151	M8	T45	**KT45**	**1018227**
MS1595	**1094300**	12	106	M6	T30	**KT30**	**1099676**
MS1970	**1106668**	12	106	M6	T30	**KT30**	**1099676**
MS2002	**1621087**	9	80	M6	T25	**KT25**	**1022725**
MS2091	**1931147**	9	80	M5	25IP	**K25IP**	**2050113**


Know what you need?


Every component is individually available, including less common fittings.
Knowing the precise components required will allow you to choose only the fittings you need!

Coolant Hose Accessories

order number	catalogue number	description
6145374	1-16NPTF-JIC	1/16 NPTF male to 7/16 JIC male fitting
6145375	1-8NPTF-JIC	1/8 NPTF male to 7/16 JIC male fitting
6145376	G18-JIC	G1/8 male to 7/16 JIC male fitting
6145377	M10-JIC	M10 x 1,5 male to 7/16 JIC male fitting
6145379	JICM-JICF-ELB	Male JIC to Swivel Female JIC Elbow
6145380	COOL-HOSE-200	200mm Female JIC to Female JIC
6145381	COOL-HOSE-300	300mm Female JIC to Female JIC
6145382	M6-JIC	M6 x 1,0 male to 7/16 JIC male fitting
6145378	M8-JIC	M8 x 1,25 male to 7/16 JIC male fitting
6145383	JICM-JICM-STR	7/16 JIC male to 7/16 JIC male adaptor
6145386	G14-G18-RED	Male G1/4 to Female G1/8 reducer
6432549	COOL-HOSE-200-FLEX	Universal 200mm Flex Coolant Hose
6432550	COOL-HOSE-300-FLEX	Universal 300mm Flex Coolant Hose










LSA





order number	catalogue number	H	B	F	L1	gage insert	shim	shim screw	Torx	Torx	insert screw	Torx
right hand												
1136965	**LSASR1212N16**	12	12	16	85	LT16ER	**–**	**–**	–	–	**SSA3T**	T10
1136984	**LSASR1616H16**	16	16	16	100	LT16ER	**SMYE3**	**SSY3T**	T10	T15	**SSA3T**	T10
1136992	**LSASR2020K16**	20	20	20	125	LT16ER	**SMYE3**	**SSY3T**	T10	T15	**SSA3T**	T10
1137000	**LSASR2525M16**	25	25	25	150	LT16ER	**SMYE3**	**SSY3T**	T10	T15	**SSA3T**	T10
1137007	**LSASR2525M22**	25	25	25	150	LT22ER	**SMYE4**	**SSY4T**	T20	T20	**SSA4T**	T20
1125454	**LSASR3232P16**	32	32	32	170	LT16ER	**SMYE3**	**SSY3T**	T10	T15	**SSA3T**	T10
1611931	**LSASR3232P22**	32	32	32	170	LT22ER	**SMYE4**	**SSY4T**	T20	T20	**SSA4T**	T20
left hand												
1136926	**LSASL1212N16**	12	12	16	85	LT16EL	**–**	**–**	–	–	**SSA3T**	T10
1136935	**LSASL1616H16**	16	16	16	100	LT16EL	**SMYI3**	**SSY3T**	T10	T15	**SSA3T**	T10
1136943	**LSASL2020K16**	20	20	20	125	LT16EL	**SMYI3**	**SSY3T**	T10	T15	**SSA3T**	T10
1136951	**LSASL2525M16**	25	25	25	150	LT16EL	**SMYI3**	**SSY3T**	T10	T15	**SSA3T**	T10
1136959	**LSASL2525M22**	25	25	25	150	LT22EL	**SMYI4**	**SSY4T**	T20	T20	**SSA4T**	T20